

Revision 3, January 28, 2017



Coils, Repair and Rebuild Kits

For Standard GC Valves

GC Valves, LLC.
456 Crompton Street
Charlotte, North Carolina 28273
Ph: (800)-828-0484, Fx: (704)-973-9526

Instructions:

To select a Coil, choose either the HS or the CS coil depending on the housing style. Insert the correct voltage code from the chart below.

a. Voltage Codes

- 01 24 volt 60 hz (AC)
- 02 120 volt 60 hz, 110 volt 50 hz (AC)
- 03 208 volt 60 hz (AC)
- 04 240 volt 60 hz, 220 volt 50 hz (AC)
- 07 480 volt 60 hz, 440 volt 50 hz (AC)
- 13 550 volt 60 hz (AC)
- 14 6 volt (DC)
- 15 12 volt (DC)
- 16 24 volt (DC)
- 17 32 volt (DC)
- 18 120 volt (DC)
- 19 240 volt (DC)
- 24 24 volt 50 hz (AC)
- 33 48 volt (DC)

b. HS coils are available in either “G” conduit hub or “Y” DIN configuration.

c. Some valves, marked coil note 1, require “S3” coils in AC voltages and “S4” coils in DC voltages.

Rebuild / Repair Kits:

a. To completely rebuild a valve select a [Rebuild Kit](#), choose either the AC or DC version, depending on your valve voltage.

b. To repair worn or damaged elastomers only, select a [Repair Kit](#). [Repair Kits](#) can be used on either AC or DC valves.

Explosion Proof Rebuild Kits:

a. For AC voltages change “AF02” to “XF02”.

b. For DC voltages change “AF15” to “XF15”.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
H211_F__Z4CG1	HS3GN__A24	CS3AN__A24		K211Z4C	KH211AF02Z4CG1	KH211AF15Z4CG1
H211_F__Z4DG1	HS3GN__A24	CS3AN__A24		K211Z4C	KH211AF02Z4CG1	KH211AF15Z4CG1
H211_F__Z4EG5	HS3GN__A24	CS3AN__A24		K211Z4E	KH211AF02Z4EG5	KH211AF15Z4EG5
H401_F__Z1BF5	HS4GN__A24	CS4AN__A24		KH401Z1B	KH401AF02Z1BF5	KH401AF15Z1BF5
H401_F__Z1CF5	HS4GN__A24	CS4AN__A24		KH401Z1B	KH401AF02Z1BF5	KH401AF15Z1BF5
H401_F__Z1DF5	HS4GN__A24	CS4AN__A24		KH401Z1B	KH401AF02Z1BF5	KH401AF15Z1BF5
H402_F__Z1BF5	HS4GN__A24	CS4AN__A24		KH402Z1B	KH402AF02Z1BF5	KH402AF15Z1BF5
H402_F__Z1CF5	HS4GN__A24	CS4AN__A24		KH402Z1B	KH402AF02Z1BF5	KH402AF15Z1BF5
H402_F__Z1DF5	HS4GN__A24	CS4AN__A24		KH402Z1B	KH402AF02Z1BF5	KH402AF15Z1BF5
S201_F__C5CG4	HS4GN__A24	CS4AN__A24		K201C5C	KS201AF02C5CG4	KS201AF15C5CG4
S201_F__C5DG4	HS4GN__A24	CS4AN__A24		K201C5C	KS201AF02C5CG4	KS201AF15C5CG4
S201_F__C5EG5	HS4GN__A24	CS4AN__A24		K201C5E	KS201AF02C5EG5	KS201AF15C5EG5
S201_F__C5FG9	HS4GN__A24	CS4AN__A24		K201C5F	KS201AF02C5FG9	
S201_F__C5GJ2	HS4GN__A24	CS4AN__A24		K201C5G	KS201AF02C5GJ2	
S201_F__C5HJ2	HS4GN__A24	CS4AN__A24		K201C5G	KS201AF02C5GJ2	
S201_F__E7CG4	HS4GN__A24	CS4AN__A24		K201E7C	KS201AF02E7CG4	KS201AF15E7CG4
S201_F__E7DG4	HS4GN__A24	CS4AN__A24		K201E7C	KS201AF02E7CG4	KS201AF15E7CG4
S201_F__E7EG5	HS4GN__A24	CS4AN__A24		K201E7E	KS201AF02E7EG5	KS201AF15E7EG5
S201_F__E7FG9	HS4GN__A24	CS4AN__A24		K201E7F	KS201AF02E7FG9	
S201_F__E7GJ2	HS4GN__A24	CS4AN__A24		K201E7G	KS201AF02E7GJ2	
S201_F__E7HJ2	HS4GN__A24	CS4AN__A24		K201E7G	KS201AF02E7GJ2	
S201_F__J7CG4	HS4GN__A24	CS4AN__A24		K201J7C	KS201AF02J7CG4	KS201AF15J7CG4
S201_F__J7DG4	HS4GN__A24	CS4AN__A24		K201J7C	KS201AF02J7CG4	KS201AF15J7CG4
S201_F__J7EG5	HS4GN__A24	CS4AN__A24		K201J7E	KS201AF02J7EG5	KS201AF15J7EG5
S201_F__J7FG9	HS4GN__A24	CS4AN__A24		K201J7F	KS201AF02J7FG9	
S201_F__J7GJ2	HS4GN__A24	CS4AN__A24		K201J7G	KS201AF02J7GJ2	
S201_F__J7HJ2	HS4GN__A24	CS4AN__A24		K201J7G	KS201AF02J7GJ2	
S201_F__L7CG4	HS4GN__A24	CS4AN__A24		K201L7C	KS201AF02L7CG4	KS201AF15L7CG4
S201_F__L7DG4	HS4GN__A24	CS4AN__A24		K201L7C	KS201AF02L7CG4	KS201AF15L7CG4
S201_F__L7EG5	HS4GN__A24	CS4AN__A24		K201L7E	KS201AF02L7EG5	KS201AF15L7EG5
S201_F__L7FG9	HS4GN__A24	CS4AN__A24		K201L7F	KS201AF02L7FG9	
S201_F__L7GJ2	HS4GN__A24	CS4AN__A24		K201L7G	KS201AF02L7GJ2	
S201_F__L7HJ2	HS4GN__A24	CS4AN__A24		K201L7G	KS201AF02L7GJ2	
S201_F__N5CG4	HS4GN__A24	CS4AN__A24		K201N5C	KS201AF02N5CG4	KS201AF15N5CG4
S201_F__N5DG4	HS4GN__A24	CS4AN__A24		K201N5C	KS201AF02N5CG4	KS201AF15N5CG4
S201_F__N5EG5	HS4GN__A24	CS4AN__A24		K201N5E	KS201AF02N5EG5	KS201AF15N5EG5
S201_F__N5FG9	HS4GN__A24	CS4AN__A24		K201N5F	KS201AF02N5FG9	
S201_F__N5GJ2	HS4GN__A24	CS4AN__A24		K201N5G	KS201AF02N5GJ2	
S201_F__N5HJ2	HS4GN__A24	CS4AN__A24		K201N5G	KS201AF02N5GJ2	
S201_F__V5CG4	HS4GN__A24	CS4AN__A24		K201V5C	KS201AF02V5CG4	KS201AF15V5CG4

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S201_F __ V5DG4	HS4GN __ A24	CS4AN __ A24		K201V5C	KS201AF02V5CG4	KS201AF15V5CG4
S201_F __ V5EG5	HS4GN __ A24	CS4AN __ A24		K201V5E	KS201AF02V5EG5	KS201AF15V5EG5
S201_F __ V5FG9	HS4GN __ A24	CS4AN __ A24		K201V5F	KS201AF02V5FG9	
S201_F __ V5GJ2	HS4GN __ A24	CS4AN __ A24		K201V5G	KS201AF02V5GJ2	
S201_F __ V5HJ2	HS4GN __ A24	CS4AN __ A24		K201V5G	KS201AF02V5GJ2	
S201_H __ C5CG4	HS4GN __ A24	CS4AN __ A24		K201C5C	KS201AF02C5CG4	KS201AF15C5CG4
S201_H __ C5DG4	HS4GN __ A24	CS4AN __ A24		K201C5C	KS201AF02C5CG4	KS201AF15C5CG4
S201_H __ C5EG5	HS4GN __ A24	CS4AN __ A24		K201C5E	KS201AF02C5EG5	KS201AF15C5EG5
S201_H __ C5FG9	HS4GN __ A24	CS4AN __ A24		K201C5F	KS201AF02C5FG9	
S201_H __ C5GJ2	HS4GN __ A24	CS4AN __ A24		K201C5G	KS201AF02C5GJ2	
S201_H __ C5HJ2	HS4GN __ A24	CS4AN __ A24		K201C5G	KS201AF02C5GJ2	
S201_H __ E7CG4	HS4GN __ A24	CS4AN __ A24		K201E7C	KS201AF02E7CG4	KS201AF15E7CG4
S201_H __ E7DG4	HS4GN __ A24	CS4AN __ A24		K201E7C	KS201AF02E7CG4	KS201AF15E7CG4
S201_H __ E7EG5	HS4GN __ A24	CS4AN __ A24		K201E7E	KS201AF02E7EG5	KS201AF15E7EG5
S201_H __ E7FG9	HS4GN __ A24	CS4AN __ A24		K201E7F	KS201AF02E7FG9	
S201_H __ E7GJ2	HS4GN __ A24	CS4AN __ A24		K201E7G	KS201AF02E7GJ2	
S201_H __ E7HJ2	HS4GN __ A24	CS4AN __ A24		K201E7G	KS201AF02E7GJ2	
S202_F __ C5CG4	HS4GN __ A24	CS4AN __ A24		K202C5C	KS202AF02C5CG4	KS202AF15C5CG4
S202_F __ C5DG4	HS4GN __ A24	CS4AN __ A24		K202C5C	KS202AF02C5CG4	KS202AF15C5CG4
S202_F __ C5EG5	HS4GN __ A24	CS4AN __ A24		K202C5E	KS202AF02C5EG5	KS202AF15C5EG5
S202_F __ E7CG4	HS4GN __ A24	CS4AN __ A24		K202E7C	KS202AF02E7CG4	KS202AF15E7CG4
S202_F __ E7DG4	HS4GN __ A24	CS4AN __ A24		K202E7C	KS202AF02E7CG4	KS202AF15E7CG4
S202_F __ E7EG5	HS4GN __ A24	CS4AN __ A24		K202E7E	KS202AF02E7EG5	KS202AF15E7EG5
S202_F __ J7CG4	HS4GN __ A24	CS4AN __ A24		K202J7C	KS202AF02J7CG4	KS202AF15J7CG4
S202_F __ J7DG4	HS4GN __ A24	CS4AN __ A24		K202J7C	KS202AF02J7CG4	KS202AF15J7CG4
S202_F __ J7EG5	HS4GN __ A24	CS4AN __ A24		K202J7E	KS202AF02J7EG5	KS202AF15J7EG5
S202_F __ L7CG4	HS4GN __ A24	CS4AN __ A24		K202L7C	KS202AF02L7CG4	KS202AF15L7CG4
S202_F __ L7DG4	HS4GN __ A24	CS4AN __ A24		K202L7C	KS202AF02L7CG4	KS202AF15L7CG4
S202_F __ L7EG5	HS4GN __ A24	CS4AN __ A24		K202L7E	KS202AF02L7EG5	KS202AF15L7EG5
S202_F __ N5CG4	HS4GN __ A24	CS4AN __ A24		K202N5C	KS202AF02N5CG4	KS202AF15N5CG4
S202_F __ N5DG4	HS4GN __ A24	CS4AN __ A24		K202N5C	KS202AF02N5CG4	KS202AF15N5CG4
S202_F __ N5EG5	HS4GN __ A24	CS4AN __ A24		K202N5E	KS202AF02N5EG5	KS202AF15N5EG5
S202_F __ V5CG4	HS4GN __ A24	CS4AN __ A24		K202V5C	KS202AF02V5CG4	KS202AF15V5CG4
S202_F __ V5DG4	HS4GN __ A24	CS4AN __ A24		K202V5C	KS202AF02V5CG4	KS202AF15V5CG4
S202_F __ V5EG5	HS4GN __ A24	CS4AN __ A24		K202V5E	KS202AF02V5EG5	KS202AF15V5EG5
S202_H __ C5CG4	HS4GN __ A24	CS4AN __ A24		K202C5C	KS202AF02C5CG4	KS202AF15C5CG4
S202_H __ C5DG4	HS4GN __ A24	CS4AN __ A24		K202C5C	KS202AF02C5CG4	KS202AF15C5CG4
S202_H __ C5EG5	HS4GN __ A24	CS4AN __ A24		K202C5E	KS202AF02C5EG5	KS202AF15C5EG5
S202_H __ E7CG4	HS4GN __ A24	CS4AN __ A24		K202E7C	KS202AF02E7CG4	KS202AF15E7CG4
S202_H __ E7DG4	HS4GN __ A24	CS4AN __ A24		K202E7C	KS202AF02E7CG4	KS202AF15E7CG4
S202_H __ E7EG5	HS4GN __ A24	CS4AN __ A24		K202E7E	KS202AF02E7EG5	KS202AF15E7EG5

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S203_F__N5CG4	HS4GN__A24	CS4AN__A24		K203N5C	KS203AF02N5CG4	KS203AF15N5CG4
S203_F__N5DG4	HS4GN__A24	CS4AN__A24		K203N5C	KS203AF02N5CG4	KS203AF15N5CG4
S204_F__N5CG4	HS4GN__A24	CS4AN__A24		K204N5C	KS204AF02N5CG4	KS204AF15N5CG4
S204_F__N5DG4	HS4GN__A24	CS4AN__A24		K204N5C	KS204AF02N5CG4	KS204AF15N5CG4
S211_F__C5CG4	HS3GN__A24	CS3AN__A24	1	K211C5C	KS211AF02C5CG4	KS211AF15C5CG4
S211_F__C5DG4	HS3GN__A24	CS3AN__A24	1	K211C5C	KS211AF02C5CG4	KS211AF15C5CG4
S211_F__C5EG5	HS3GN__A24	CS3AN__A24	1	K211C5E	KS211AF02C5EG5	KS211AF15C5EG5
S211_F__C5FG9	HS3GN__A24	CS3AN__A24		K211C5F	KS211AF02C5FG9	KS211AF15C5FG9
S211_F__C5GJ2	HS3GN__A24	CS3AN__A24		K211C5G	KS211AF02C5GJ2	KS211AF15C5GJ2
S211_F__C5HJ2	HS3GN__A24	CS3AN__A24		K211C5G	KS211AF02C5GJ2	KS211AF15C5GJ2
S211_F__C5JJ2	HS3GN__A24	CS3AN__A24		K211C5G	KS211AF02C5GJ2	KS211AF15C5GJ2
S211_F__E7CG4	HS3GN__A24	CS3AN__A24	1	K211E7C	KS211AF02E7CG4	KS211AF15E7CG4
S211_F__E7DG4	HS3GN__A24	CS3AN__A24	1	K211E7C	KS211AF02E7CG4	KS211AF15E7CG4
S211_F__E7EG5	HS3GN__A24	CS3AN__A24	1	K211E7E	KS211AF02E7EG5	KS211AF15E7EG5
S211_F__E7FG9	HS3GN__A24	CS3AN__A24		K211E7F	KS211AF02E7FG9	KS211AF15E7FG9
S211_F__E7GJ2	HS3GN__A24	CS3AN__A24		K211E7G	KS211AF02E7GJ2	KS211AF15E7GJ2
S211_F__E7HJ2	HS3GN__A24	CS3AN__A24		K211E7G	KS211AF02E7GJ2	KS211AF15E7GJ2
S211_F__E7JJ2	HS3GN__A24	CS3AN__A24		K211E7G	KS211AF02E7GJ2	KS211AF15E7GJ2
S211_F__J7CG4	HS3GN__A24	CS3AN__A24	1	K211J7C	KS211AF02J7CG4	KS211AF15J7CG4
S211_F__J7DG4	HS3GN__A24	CS3AN__A24	1	K211J7C	KS211AF02J7CG4	KS211AF15J7CG4
S211_F__J7EG5	HS3GN__A24	CS3AN__A24	1	K211J7E	KS211AF02J7EG5	KS211AF15J7EG5
S211_F__J7FG9	HS3GN__A24	CS3AN__A24		K211J7F	KS211AF02J7FG9	KS211AF15J7FG9
S211_F__J7GJ2	HS3GN__A24	CS3AN__A24		K211J7G	KS211AF02J7GJ2	KS211AF15J7GJ2
S211_F__J7HJ2	HS3GN__A24	CS3AN__A24		K211J7G	KS211AF02J7GJ2	KS211AF15J7GJ2
S211_F__J7JJ2	HS3GN__A24	CS3AN__A24		K211J7G	KS211AF02J7GJ2	KS211AF15J7GJ2
S211_F__K4CG1	HS3GN__A24	CS3AN__A24		K211K4C	KS211AF02K4CG1	KS211AF15K4CG1
S211_F__K4DG1	HS3GN__A24	CS3AN__A24		K211K4C	KS211AF02K4CG1	KS211AF15K4CG1
S211_F__K4EG5	HS3GN__A24	CS3AN__A24		K211K4E	KS211AF02K4EG5	KS211AF15K4EG5
S211_F__L7CG4	HS3GN__A24	CS3AN__A24	1	K211L7C	KS211AF02L7CG4	KS211AF15L7CG4
S211_F__L7DG4	HS3GN__A24	CS3AN__A24	1	K211L7C	KS211AF02L7CG4	KS211AF15L7CG4
S211_F__L7EG5	HS3GN__A24	CS3AN__A24	1	K211L7E	KS211AF02L7EG5	KS211AF15L7EG5
S211_F__L7FG9	HS3GN__A24	CS3AN__A24		K211L7F	KS211AF02L7FG9	KS211AF15L7FG9
S211_F__L7GJ2	HS3GN__A24	CS3AN__A24		K211L7G	KS211AF02L7GJ2	KS211AF15L7GJ2
S211_F__L7HJ2	HS3GN__A24	CS3AN__A24		K211L7G	KS211AF02L7GJ2	KS211AF15L7GJ2
S211_F__L7JJ2	HS3GN__A24	CS3AN__A24		K211L7G	KS211AF02L7GJ2	KS211AF15L7GJ2
S211_F__N1FG9	HS3GN__A24	CS3AN__A24		K211N4F	KS211AF02N4FG9	KS211AF15N4FG9
S211_F__N1GJ5	HS3GN__A24	CS3AN__A24		K211N4G	KS211AF02N4GJ5	KS211AF15N4GJ5
S211_F__N1HJ5	HS3GN__A24	CS3AN__A24		K211N4G	KS211AF02N4GJ5	KS211AF15N4GJ5
S211_F__N1JJ5	HS3GN__A24	CS3AN__A24		K211N4G	KS211AF02N4GJ5	KS211AF15N4GJ5
S211_F__N4FG9	HS3GN__A24	CS3AN__A24		K211N4F	KS211AF02N4FG9	KS211AF15N4FG9
S211_F__N4GJ5	HS3GN__A24	CS3AN__A24		K211N4G	KS211AF02N4GJ5	KS211AF15N4GJ5
S211_F__N4HJ5	HS3GN__A24	CS3AN__A24		K211N4G	KS211AF02N4GJ5	KS211AF15N4GJ5

Coil Notes:

- For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S211_F__N4JJ5	HS3GN__A24	CS3AN__A24		K211N4G	KS211AF02N4GJ5	KS211AF15N4GJ5
S211_F__N5CG4	HS3GN__A24	CS3AN__A24	1	K211N5C	KS211AF02N5CG4	KS211AF15N5CG4
S211_F__N5DG4	HS3GN__A24	CS3AN__A24	1	K211N5C	KS211AF02N5CG4	KS211AF15N5CG4
S211_F__N5EG5	HS3GN__A24	CS3AN__A24	1	K211N5E	KS211AF02N5EG5	KS211AF15N5EG5
S211_F__N5FG9	HS3GN__A24	CS3AN__A24		K211N5F	KS211AF02N5FG9	KS211AF15N5FG9
S211_F__N5GJ2	HS3GN__A24	CS3AN__A24		K211N5G	KS211AF02N5GJ2	KS211AF15N5GJ2
S211_F__N5HJ2	HS3GN__A24	CS3AN__A24		K211N5G	KS211AF02N5GJ2	KS211AF15N5GJ2
S211_F__N5JJ2	HS3GN__A24	CS3AN__A24		K211N5G	KS211AF02N5GJ2	KS211AF15N5GJ2
S211_F__T4CG1	HS3GN__A24	CS3AN__A24		K211T4C	KS211AF02T4CG1	KS211AF15T4CG1
S211_F__T4DG1	HS3GN__A24	CS3AN__A24		K211T4C	KS211AF02T4CG1	KS211AF15T4CG1
S211_F__T4EG5	HS3GN__A24	CS3AN__A24		K211T4E	KS211AF02T4EG5	KS211AF15T4EG5
S211_F__V5CG4	HS3GN__A24	CS3AN__A24	1	K211V5C	KS211AF02V5CG4	KS211AF15V5CG4
S211_F__V5DG4	HS3GN__A24	CS3AN__A24	1	K211V5C	KS211AF02V5CG4	KS211AF15V5CG4
S211_F__V5EG5	HS3GN__A24	CS3AN__A24	1	K211V5E	KS211AF02V5EG5	KS211AF15V5EG5
S211_F__V5FG9	HS3GN__A24	CS3AN__A24		K211V5F	KS211AF02V5FG9	KS211AF15V5FG9
S211_F__V5GJ2	HS3GN__A24	CS3AN__A24		K211V5G	KS211AF02V5GJ2	KS211AF15V5GJ2
S211_F__V5HJ2	HS3GN__A24	CS3AN__A24		K211V5G	KS211AF02V5GJ2	KS211AF15V5GJ2
S211_F__V5JJ2	HS3GN__A24	CS3AN__A24		K211V5G	KS211AF02V5GJ2	KS211AF15V5GJ2
S211_H__C5CG4	HS3GN__A24	CS3AN__A24	1	K211C5C	KS211AF02C5CG4	KS211AF15C5CG4
S211_H__C5DG4	HS3GN__A24	CS3AN__A24	1	K211C5C	KS211AF02C5CG4	KS211AF15C5CG4
S211_H__C5EG5	HS3GN__A24	CS3AN__A24	1	K211C5E	KS211AF02C5EG5	KS211AF15C5EG5
S211_H__C5FG9	HS3GN__A24	CS3AN__A24		K211C5F	KS211AF02C5FG9	KS211AF15C5FG9
S211_H__C5GJ2	HS3GN__A24	CS3AN__A24		K211C5G	KS211AF02C5GJ2	KS211AF15C5GJ2
S211_H__C5HJ2	HS3GN__A24	CS3AN__A24		K211C5G	KS211AF02C5GJ2	KS211AF15C5GJ2
S211_H__C5JJ2	HS3GN__A24	CS3AN__A24		K211C5G	KS211AF02C5GJ2	KS211AF15C5GJ2
S211_H__E7CG4	HS3GN__A24	CS3AN__A24	1	K211E7C	KS211AF02E7CG4	KS211AF15E7CG4
S211_H__E7DG4	HS3GN__A24	CS3AN__A24	1	K211E7C	KS211AF02E7CG4	KS211AF15E7CG4
S211_H__E7EG5	HS3GN__A24	CS3AN__A24	1	K211E7E	KS211AF02E7EG5	KS211AF15E7EG5
S211_H__E7FG9	HS3GN__A24	CS3AN__A24		K211E7F	KS211AF02E7FG9	KS211AF15E7FG9
S211_H__E7GJ2	HS3GN__A24	CS3AN__A24		K211E7G	KS211AF02E7GJ2	KS211AF15E7GJ2
S211_H__E7HJ2	HS3GN__A24	CS3AN__A24		K211E7G	KS211AF02E7GJ2	KS211AF15E7GJ2
S211_H__E7JJ2	HS3GN__A24	CS3AN__A24		K211E7G	KS211AF02E7GJ2	KS211AF15E7GJ2
S211_H__T2CG1	HS3GN__A24	CS3AN__A24		K211T2C	KS211AF02T2CG1	KS211AF15T2CG1
S211_H__T2DG1	HS3GN__A24	CS3AN__A24		K211T2C	KS211AF02T2CG1	KS211AF15T2CG1
S211_H__T2EG5	HS3GN__A24	CS3AN__A24		K211T2E	KS211AF02T2EG5	KS211AF15T2EG5
S211_H__T2FG9	HS3GN__A24	CS3AN__A24		K211T2F	KS211AF02T2FG9	KS211AF15T2FG9
S211_H__T2GJ5	HS3GN__A24	CS3AN__A24		K211T2G	KS211AF02T2GJ5	KS211AF15T2GJ5
S211_H__T2HJ5	HS3GN__A24	CS3AN__A24		K211T2G	KS211AF02T2GJ5	KS211AF15T2GJ5
S211_H__T2JJ5	HS3GN__A24	CS3AN__A24		K211T2G	KS211AF02T2GJ5	KS211AF15T2GJ5
S211_H__T4CG1	HS3GN__A24	CS3AN__A24		K211T4C	KS211AF02T4CG1	KS211AF15T4CG1
S211_H__T4DG1	HS3GN__A24	CS3AN__A24		K211T4C	KS211AF02T4CG1	KS211AF15T4CG1
S211_H__T4EG5	HS3GN__A24	CS3AN__A24		K211T4E	KS211AF02T4EG5	KS211AF15T4EG5

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S212_F__C5CG4	HS4GN__A24	CS4AN__A24		K212C5C	KS212AF02C5CG4	KS212AF15C5CG4
S212_F__C5DG4	HS4GN__A24	CS4AN__A24		K212C5C	KS212AF02C5CG4	KS212AF15C5CG4
S212_F__C5EG5	HS4GN__A24	CS4AN__A24		K212C5E	KS212AF02C5EG5	KS212AF15C5EG5
S212_F__C5FG9	HS3GN__A24	CS3AN__A24		K212C5F	KS212AF02C5FG9	KS212AF15C5FG9
S212_F__C5GJ2	HS3GN__A24	CS3AN__A24		K212C5G	KS212AF02C5GJ2	KS212AF15C5GJ2
S212_F__C5HJ2	HS3GN__A24	CS3AN__A24		K212C5G	KS212AF02C5GJ2	KS212AF15C5GJ2
S212_F__C5JJ2	HS3GN__A24	CS3AN__A24		K212C5G	KS212AF02C5GJ2	KS212AF15C5GJ2
S212_F__E7CG4	HS4GN__A24	CS4AN__A24		K212E7C	KS212AF02E7CG4	KS212AF15E7CG4
S212_F__E7DG4	HS4GN__A24	CS4AN__A24		K212E7C	KS212AF02E7CG4	KS212AF15E7CG4
S212_F__E7EG5	HS4GN__A24	CS4AN__A24		K212E7E	KS212AF02E7EG5	KS212AF15E7EG5
S212_F__E7FG9	HS3GN__A24	CS3AN__A24		K212E7F	KS212AF02E7FG9	KS212AF15E7FG9
S212_F__E7GJ2	HS3GN__A24	CS3AN__A24		K212E7G	KS212AF02E7GJ2	KS212AF15E7GJ2
S212_F__E7HJ2	HS3GN__A24	CS3AN__A24		K212E7G	KS212AF02E7GJ2	KS212AF15E7GJ2
S212_F__E7JJ2	HS3GN__A24	CS3AN__A24		K212E7G	KS212AF02E7GJ2	KS212AF15E7GJ2
S212_F__J7CG4	HS4GN__A24	CS4AN__A24		K212J7C	KS212AF02J7CG4	KS212AF15J7CG4
S212_F__J7DG4	HS4GN__A24	CS4AN__A24		K212J7C	KS212AF02J7CG4	KS212AF15J7CG4
S212_F__J7EG5	HS4GN__A24	CS4AN__A24		K212J7E	KS212AF02J7EG5	KS212AF15J7EG5
S212_F__J7FG9	HS3GN__A24	CS3AN__A24		K212J7F	KS212AF02J7FG9	KS212AF15J7FG9
S212_F__J7GJ2	HS3GN__A24	CS3AN__A24		K212J7G	KS212AF02J7GJ2	KS212AF15J7GJ2
S212_F__J7HJ2	HS3GN__A24	CS3AN__A24		K212J7G	KS212AF02J7GJ2	KS212AF15J7GJ2
S212_F__J7JJ2	HS3GN__A24	CS3AN__A24		K212J7G	KS212AF02J7GJ2	KS212AF15J7GJ2
S212_F__K4CG1	HS3GN__A24	CS3AN__A24		K212K4C	KS212AF02K4CG1	KS212AF15K4CG1
S212_F__K4DG1	HS3GN__A24	CS3AN__A24		K212K4C	KS212AF02K4CG1	KS212AF15K4CG1
S212_F__K4EG5	HS3GN__A24	CS3AN__A24		K212K4E	KS212AF02K4EG5	KS212AF15K4EG5
S212_F__L7CG4	HS4GN__A24	CS4AN__A24		K212L7C	KS212AF02L7CG4	KS212AF15L7CG4
S212_F__L7DG4	HS4GN__A24	CS4AN__A24		K212L7C	KS212AF02L7CG4	KS212AF15L7CG4
S212_F__L7EG5	HS4GN__A24	CS4AN__A24		K212L7E	KS212AF02L7EG5	KS212AF15L7EG5
S212_F__L7FG9	HS3GN__A24	CS3AN__A24		K212L7F	KS212AF02L7FG9	KS212AF15L7FG9
S212_F__L7GJ2	HS3GN__A24	CS3AN__A24		K212L7G	KS212AF02L7GJ2	KS212AF15L7GJ2
S212_F__L7HJ2	HS3GN__A24	CS3AN__A24		K212L7G	KS212AF02L7GJ2	KS212AF15L7GJ2
S212_F__L7JJ2	HS3GN__A24	CS3AN__A24		K212L7G	KS212AF02L7GJ2	KS212AF15L7GJ2
S212_F__N1FG9	HS3GN__A24	CS3AN__A24		K212N4F	KS212AF02N4FG9	KS212AF15N4FG9
S212_F__N1GJ5	HS3GN__A24	CS3AN__A24		K212N4G	KS212AF02N4GJ5	KS212AF15N4GJ5
S212_F__N1HJ5	HS3GN__A24	CS3AN__A24		K212N4G	KS212AF02N4GJ5	KS212AF15N4GJ5
S212_F__N1JJ5	HS3GN__A24	CS3AN__A24		K212N4G	KS212AF02N4GJ5	KS212AF15N4GJ5
S212_F__N4FG9	HS3GN__A24	CS3AN__A24		K212N4F	KS212AF02N4FG9	KS212AF15N4FG9
S212_F__N4GJ5	HS3GN__A24	CS3AN__A24		K212N4G	KS212AF02N4GJ5	KS212AF15N4GJ5
S212_F__N4HJ5	HS3GN__A24	CS3AN__A24		K212N4G	KS212AF02N4GJ5	KS212AF15N4GJ5
S212_F__N4JJ5	HS3GN__A24	CS3AN__A24		K212N4G	KS212AF02N4GJ5	KS212AF15N4GJ5
S212_F__N5CG4	HS4GN__A24	CS4AN__A24		K212N5C	KS212AF02N5CG4	KS212AF15N5CG4
S212_F__N5DG4	HS4GN__A24	CS4AN__A24		K212N5C	KS212AF02N5CG4	KS212AF15N5CG4
S212_F__N5EG5	HS4GN__A24	CS4AN__A24		K212N5E	KS212AF02N5EG5	KS212AF15N5EG5
S212_F__N5FG9	HS3GN__A24	CS3AN__A24		K212N5F	KS212AF02N5FG9	KS212AF15N5FG9

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S212_F__N5GJ2	HS3GN __ A24	CS3AN __ A24		K212N5G	KS212AF02N5GJ2	KS212AF15N5GJ2
S212_F__N5HJ2	HS3GN __ A24	CS3AN __ A24		K212N5G	KS212AF02N5GJ2	KS212AF15N5GJ2
S212_F__N5JJ2	HS3GN __ A24	CS3AN __ A24		K212N5G	KS212AF02N5GJ2	KS212AF15N5GJ2
S212_F__T4CG1	HS3GN __ A24	CS3AN __ A24		K212T4C	KS212AF02T4CG1	KS212AF15T4CG1
S212_F__T4DG1	HS3GN __ A24	CS3AN __ A24		K212T4C	KS212AF02T4CG1	KS212AF15T4CG1
S212_F__T4EG5	HS3GN __ A24	CS3AN __ A24		K212T4E	KS212AF02T4EG5	KS212AF15T4EG5
S212_F__V5CG4	HS4GN __ A24	CS4AN __ A24		K212V5C	KS212AF02V5CG4	KS212AF15V5CG4
S212_F__V5DG4	HS4GN __ A24	CS4AN __ A24		K212V5C	KS212AF02V5CG4	KS212AF15V5CG4
S212_F__V5EG5	HS4GN __ A24	CS4AN __ A24		K212V5E	KS212AF02V5EG5	KS212AF15V5EG5
S212_F__V5FG9	HS3GN __ A24	CS3AN __ A24		K212V5F	KS212AF02V5FG9	KS212AF15V5FG9
S212_F__V5GJ2	HS3GN __ A24	CS3AN __ A24		K212V5G	KS212AF02V5GJ2	KS212AF15V5GJ2
S212_F__V5HJ2	HS3GN __ A24	CS3AN __ A24		K212V5G	KS212AF02V5GJ2	KS212AF15V5GJ2
S212_F__V5JJ2	HS3GN __ A24	CS3AN __ A24		K212V5G	KS212AF02V5GJ2	KS212AF15V5GJ2
S212_H__C5CG4	HS4GN __ A24	CS4AN __ A24		K212C5C	KS212AF02C5CG4	KS212AF15C5CG4
S212_H__C5DG4	HS4GN __ A24	CS4AN __ A24		K212C5C	KS212AF02C5CG4	KS212AF15C5CG4
S212_H__C5EG5	HS4GN __ A24	CS4AN __ A24		K212C5E	KS212AF02C5EG5	KS212AF15C5EG5
S212_H__C5FG9	HS3GN __ A24	CS3AN __ A24		K212C5F	KS212AF02C5FG9	KS212AF15C5FG9
S212_H__C5GJ2	HS3GN __ A24	CS3AN __ A24		K212C5G	KS212AF02C5GJ2	KS212AF15C5GJ2
S212_H__C5HJ2	HS3GN __ A24	CS3AN __ A24		K212C5G	KS212AF02C5GJ2	KS212AF15C5GJ2
S212_H__C5JJ2	HS3GN __ A24	CS3AN __ A24		K212C5G	KS212AF02C5GJ2	KS212AF15C5GJ2
S212_H__E7CG4	HS4GN __ A24	CS4AN __ A24		K212E7C	KS212AF02E7CG4	KS212AF15E7CG4
S212_H__E7DG4	HS4GN __ A24	CS4AN __ A24		K212E7C	KS212AF02E7CG4	KS212AF15E7CG4
S212_H__E7EG5	HS4GN __ A24	CS4AN __ A24		K212E7E	KS212AF02E7EG5	KS212AF15E7EG5
S212_H__E7FG9	HS3GN __ A24	CS3AN __ A24		K212E7F	KS212AF02E7FG9	KS212AF15E7FG9
S212_H__E7GJ2	HS3GN __ A24	CS3AN __ A24		K212E7G	KS212AF02E7GJ2	KS212AF15E7GJ2
S212_H__E7HJ2	HS3GN __ A24	CS3AN __ A24		K212E7G	KS212AF02E7GJ2	KS212AF15E7GJ2
S212_H__E7JJ2	HS3GN __ A24	CS3AN __ A24		K212E7G	KS212AF02E7GJ2	KS212AF15E7GJ2
S212_H__T2CG1	HS3GN __ A24	CS3AN __ A24		K212T2C	KS212AF02T2CG1	KS212AF15T2CG1
S212_H__T2DG1	HS3GN __ A24	CS3AN __ A24		K212T2C	KS212AF02T2CG1	KS212AF15T2CG1
S212_H__T2EG5	HS3GN __ A24	CS3AN __ A24		K212T2E	KS212AF02T2EG5	KS212AF15T2EG5
S212_H__T2FG9	HS3GN __ A24	CS3AN __ A24		K212T2F	KS212AF02T2FG9	KS212AF15T2FG9
S212_H__T2GJ5	HS3GN __ A24	CS3AN __ A24		K212T2G	KS212AF02T2GJ5	KS212AF15T2GJ5
S212_H__T2HJ5	HS3GN __ A24	CS3AN __ A24		K212T2G	KS212AF02T2GJ5	KS212AF15T2GJ5
S212_H__T2JJ5	HS3GN __ A24	CS3AN __ A24		K212T2G	KS212AF02T2GJ5	KS212AF15T2GJ5
S212_H__T4CG1	HS3GN __ A24	CS3AN __ A24		K212T4C	KS212AF02T4CG1	KS212AF15T4CG1
S212_H__T4DG1	HS3GN __ A24	CS3AN __ A24		K212T4C	KS212AF02T4CG1	KS212AF15T4CG1
S212_H__T4EG5	HS3GN __ A24	CS3AN __ A24		K212T4E	KS212AF02T4EG5	KS212AF15T4EG5
S271_F__C5FG9		CS5AF __ A24		K271C5F	KS271AF02C5FG9	KS271AF15C5FG9
S271_F__C5GJ2		CS5AF __ A24		K271C5G	KS271AF02C5GJ2	KS271AF15C5GJ2
S271_F__C5HJ2		CS5AF __ A24		K271C5G	KS271AF02C5GJ2	KS271AF15C5GJ2

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S271_F__C5JJ2		CS5AF __ A24		K271C5G	KS271AF02C5GJ2	KS271AF15C5GJ2
S271_F__E7FG9		CS5AF __ A24		K271E7F	KS271AF02E7FG9	KS271AF15E7FG9
S271_F__E7GJ2		CS5AF __ A24		K271E7G	KS271AF02E7GJ2	KS271AF15E7GJ2
S271_F__E7HJ2		CS5AF __ A24		K271E7G	KS271AF02E7GJ2	KS271AF15E7GJ2
S271_F__E7JJ2		CS5AF __ A24		K271E7G	KS271AF02E7GJ2	KS271AF15E7GJ2
S271_F__J7FG9		CS5AF __ A24		K271J7F	KS271AF02J7FG9	KS271AF15J7FG9
S271_F__J7GJ2		CS5AF __ A24		K271J7G	KS271AF02J7GJ2	KS271AF15J7GJ2
S271_F__J7HJ2		CS5AF __ A24		K271J7G	KS271AF02J7GJ2	KS271AF15J7GJ2
S271_F__J7JJ2		CS5AF __ A24		K271J7G	KS271AF02J7GJ2	KS271AF15J7GJ2
S271_F__L7FG9		CS5AF __ A24		K271L7F	KS271AF02L7FG9	KS271AF15L7FG9
S271_F__L7GJ2		CS5AF __ A24		K271L7G	KS271AF02L7GJ2	KS271AF15L7GJ2
S271_F__L7HJ2		CS5AF __ A24		K271L7G	KS271AF02L7GJ2	KS271AF15L7GJ2
S271_F__L7JJ2		CS5AF __ A24		K271L7G	KS271AF02L7GJ2	KS271AF15L7GJ2
S271_F__N5FG9		CS5AF __ A24		K271N5F	KS271AF02N5FG9	KS271AF15N5FG9
S271_F__N5GJ2		CS5AF __ A24		K271N5G	KS271AF02N5GJ2	KS271AF15N5GJ2
S271_F__N5HJ2		CS5AF __ A24		K271N5G	KS271AF02N5GJ2	KS271AF15N5GJ2
S271_F__N5JJ2		CS5AF __ A24		K271N5G	KS271AF02N5GJ2	KS271AF15N5GJ2
S271_F__V5FG9		CS5AF __ A24		K271V5F	KS271AF02V5FG9	KS271AF15V5FG9
S271_F__V5GJ2		CS5AF __ A24		K271V5G	KS271AF02V5GJ2	KS271AF15V5GJ2
S271_F__V5HJ2		CS5AF __ A24		K271V5G	KS271AF02V5GJ2	KS271AF15V5GJ2
S271_F__V5JJ2		CS5AF __ A24		K271V5G	KS271AF02V5GJ2	KS271AF15V5GJ2
S272_F__C5FG9		CS5AF __ A24		K272C5F	KS272AF02C5FG9	KS272AF15C5FG9
S272_F__C5GJ2		CS5AF __ A24		K272C5G	KS272AF02C5GJ2	KS272AF15C5GJ2
S272_F__C5HJ2		CS5AF __ A24		K272C5G	KS272AF02C5GJ2	KS272AF15C5GJ2
S272_F__C5JJ2		CS5AF __ A24		K272C5G	KS272AF02C5GJ2	KS272AF15C5GJ2
S272_F__E7FG9		CS5AF __ A24		K272E7F	KS272AF02E7FG9	KS272AF15E7FG9
S272_F__E7GJ2		CS5AF __ A24		K272E7G	KS272AF02E7GJ2	KS272AF15E7GJ2
S272_F__E7HJ2		CS5AF __ A24		K272E7G	KS272AF02E7GJ2	KS272AF15E7GJ2
S272_F__E7JJ2		CS5AF __ A24		K272E7G	KS272AF02E7GJ2	KS272AF15E7GJ2
S272_F__J7FG9		CS5AF __ A24		K272J7F	KS272AF02J7FG9	KS272AF15J7FG9
S272_F__J7GJ2		CS5AF __ A24		K272J7G	KS272AF02J7GJ2	KS272AF15J7GJ2
S272_F__J7HJ2		CS5AF __ A24		K272J7G	KS272AF02J7GJ2	KS272AF15J7GJ2
S272_F__J7JJ2		CS5AF __ A24		K272J7G	KS272AF02J7GJ2	KS272AF15J7GJ2
S272_F__L7FG9		CS5AF __ A24		K272L7F	KS272AF02L7FG9	KS272AF15L7FG9
S272_F__L7GJ2		CS5AF __ A24		K272L7G	KS272AF02L7GJ2	KS272AF15L7GJ2
S272_F__L7HJ2		CS5AF __ A24		K272L7G	KS272AF02L7GJ2	KS272AF15L7GJ2
S272_F__L7JJ2		CS5AF __ A24		K272L7G	KS272AF02L7GJ2	KS272AF15L7GJ2
S272_F__N5FG9		CS5AF __ A24		K272N5F	KS272AF02N5FG9	KS272AF15N5FG9
S272_F__N5GJ2		CS5AF __ A24		K272N5G	KS272AF02N5GJ2	KS272AF15N5GJ2
S272_F__N5HJ2		CS5AF __ A24		K272N5G	KS272AF02N5GJ2	KS272AF15N5GJ2
S272_F__N5JJ2		CS5AF __ A24		K272N5G	KS272AF02N5GJ2	KS272AF15N5GJ2
S272_F__V5FG9		CS5AF __ A24		K272V5F	KS272AF02V5FG9	KS272AF15V5FG9

Coil Notes:

- For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S272_F __ V5GJ2		CS5AF __ A24		K272V5G	KS272AF02V5GJ2	KS272AF15V5GJ2
S272_F __ V5HJ2		CS5AF __ A24		K272V5G	KS272AF02V5GJ2	KS272AF15V5GJ2
S272_F __ V5JJ2		CS5AF __ A24		K272V5G	KS272AF02V5GJ2	KS272AF15V5GJ2
S301_F __ C2AC3	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C2AC5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C2AC7	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C2AC9	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C2AD5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C2AD7	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C2AE1	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BC3	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BC5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BC7	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BC9	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BD5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BD7	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BE1	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3BE7	HS4GN __ A24	CS4AN __ A24		K301CE7	KS301AF02C2AE7	KS301AF15C2AE7
S301_F __ C3CE1	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C3CF1	HS4GN __ A24	CS4AN __ A24		K301CE7	KS301AF02C2AE7	KS301AF15C2AE7
S301_F __ C3CF5	HS4GN __ A24	CS4AN __ A24		K301CF5	KS301AF02C2AF5	KS301AF15C2AF5
S301_F __ C8AC3	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8AC5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8AC9	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8AD5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8AD7	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8AE1	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8BC3	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8BC5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8BC9	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8BD5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8BD7	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C8BE1	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C9_F5	HS4GN __ A24	CS4AN __ A24		K301CF5	KS301AF02C2AF5	KS301AF15C2AF5
S301_F __ C9CD5	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C9CE1	HS4GN __ A24	CS4AN __ A24		K301CC3	KS301AF02C2AC3	KS301AF15C2AC3
S301_F __ C9CF5	HS4GN __ A24	CS4AN __ A24		K301CF5	KS301AF02C2AF5	KS301AF15C2AF5
S301_F __ N2AC3	HS4GN __ A24	CS4AN __ A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F __ N2AC5	HS4GN __ A24	CS4AN __ A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F __ N2AC9	HS4GN __ A24	CS4AN __ A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F __ N2AD5	HS4GN __ A24	CS4AN __ A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F __ N2AD7	HS4GN __ A24	CS4AN __ A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE	G	A, B, P, S, U W, X		REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS	NOTES	Part #	Part #	Part #
	COIL #	COIL #		3	4	4
S301_F__N2AE1	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N3BC3	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N3BC5	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N3BC9	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N3BD5	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N3BD7	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N3BE1	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8AC3	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8AC5	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8AC9	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8AD5	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8AD7	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8AE1	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8BC3	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8BC5	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8BC9	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8BD5	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8BD7	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N8BE1	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N9_F5	HS4GN__A24	CS4AN__A24		K301NF5	KS301AF02N2AF5	KS301AF15N2AF5
S301_F__N9CD5	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N9CE1	HS4GN__A24	CS4AN__A24		K301NC3	KS301AF02N2AC3	KS301AF15N2AC3
S301_F__N9CF5	HS4GN__A24	CS4AN__A24		K301NF5	KS301AF02N2AF5	KS301AF15N2AF5
S301_F__V2AC3	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V2AC5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V2AC7	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V2AC9	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V2AD5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V2AD7	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V2AE1	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BC3	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BC5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BC7	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BC9	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BD5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BD7	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BE1	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3BE7	HS4GN__A24	CS4AN__A24		K301VE7	KS301AF02V2AE7	KS301AF15V2AE7
S301_F__V3CE1	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V3CF1	HS4GN__A24	CS4AN__A24		K301VE7	KS301AF02V2AE7	KS301AF15V2AE7
S301_F__V3CF5	HS4GN__A24	CS4AN__A24		K301VF5	KS301AF02V2AF5	KS301AF15V2AF5
S301_F__V8AC3	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8AC5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE	G	A, B, P, S, U W, X		REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS	NOTES	Part #	Part #	Part #
	COIL #	COIL #		3	4	4
S301_F__V8AC9	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8AD5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8AD7	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8AE1	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8BC3	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8BC5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8BC9	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8BD5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8BD7	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V8BE1	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V9_F5	HS4GN__A24	CS4AN__A24		K301VF5	KS301AF02V2AF5	KS301AF15V2AF5
S301_F__V9CD5	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V9CE1	HS4GN__A24	CS4AN__A24		K301VC3	KS301AF02V2AC3	KS301AF15V2AC3
S301_F__V9CF5	HS4GN__A24	CS4AN__A24		K301VF5	KS301AF02V2AF5	KS301AF15V2AF5
S301_H__T2AE1	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3BC3	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3BC5	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3BC9	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3BD5	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3BD7	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3BE1	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3BE7	HS4GN__A24	CS4AN__A24		K301TE7	KS301AF02T2AE7	KS301AF15T2AE7
S301_H__T3CE1	HS4GN__A24	CS4AN__A24		K301TC3	KS301AF02T2AC3	KS301AF15T2AC3
S301_H__T3CF5	HS4GN__A24	CS4AN__A24		K301TF5	KS301AF02T2AF5	KS301AF15T2AF5
S302_F__C3BC3	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C3BC5	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C3BC7	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C3BC9	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C3BD5	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C3BD7	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C3BE1	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C8BC3	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C8BC5	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C8BC7	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C8BC9	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C8BD5	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C8BD7	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__C8BE1	HS4GN__A24	CS4AN__A24		K302CC3	KS302AF02C2AC3	KS302AF15C2AC3
S302_F__N3BC3	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N3BC5	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N3BC7	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N3BC9	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE	G	A, B, P, S, U W, X		REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS	NOTES	Part #	Part #	Part #
	COIL #	COIL #		3	4	4
S302_F__N3BD5	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N3BD7	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N3BE1	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N8BC3	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N8BC5	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N8BC7	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N8BC9	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N8BD5	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N8BD7	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__N8BE1	HS4GN__A24	CS4AN__A24		K302NC3	KS302AF02N2AC3	KS302AF15N2AC3
S302_F__V3BC3	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V3BC5	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V3BC7	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V3BC9	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V3BD5	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V3BD7	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V3BE1	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V8BC3	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V8BC5	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V8BC7	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V8BC9	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V8BD5	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V8BD7	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S302_F__V8BE1	HS4GN__A24	CS4AN__A24		K302VC3	KS302AF02V2AC3	KS302AF15V2AC3
S303_F__V2AC5	HS4GN__A24	CS4AN__A24		K303VC3	KS303AF02V2AC3	KS303AF15V2AC3
S303_F__V2AC9	HS4GN__A24	CS4AN__A24		K303VC3	KS303AF02V2AC3	KS303AF15V2AC3
S303_F__V2AV1	HS4GN__A24	CS4AN__A24		K303VV1	KS303AF02V2AV1	KS303AF15V2AV1
S303_F__V2AV3	HS4GN__A24	CS4AN__A24		K303VV3	KS303AF02V2AV3	KS303AF15V2AV3
S303_F__V2AV9	HS4GN__A24	CS4AN__A24		K303VV9	KS303AF02V2AV9	KS303AF15V2AV9
S303_F__V2AW1	HS4GN__A24	CS4AN__A24		K303VW1	KS303AF02V2AW1	KS303AF15V2AW1
S303_F__V3BC5	HS4GN__A24	CS4AN__A24		K303VC3	KS303AF02V2AC3	KS303AF15V2AC3
S303_F__V3BC9	HS4GN__A24	CS4AN__A24		K303VC3	KS303AF02V2AC3	KS303AF15V2AC3
S303_F__V3BV1	HS4GN__A24	CS4AN__A24		K303VV1	KS303AF02V2AV1	KS303AF15V2AV1
S303_F__V3BV3	HS4GN__A24	CS4AN__A24		K303VV3	KS303AF02V2AV3	KS303AF15V2AV3
S303_F__V3BV9	HS4GN__A24	CS4AN__A24		K303VV9	KS303AF02V2AV9	KS303AF15V2AV9
S303_F__V3BW1	HS4GN__A24	CS4AN__A24		K303VW1	KS303AF02V2AW1	KS303AF15V2AW1
S304_F__V2AC5	HS4GN__A24	CS4AN__A24		K304VC3	KS304AF02V2AC3	KS304AF15V2AC3
S304_F__V2AC9	HS4GN__A24	CS4AN__A24		K304VC3	KS304AF02V2AC3	KS304AF15V2AC3
S304_F__V2AV1	HS4GN__A24	CS4AN__A24		K304VV1	KS304AF02V2AV1	KS304AF15V2AV1
S304_F__V2AV3	HS4GN__A24	CS4AN__A24		K304VV3	KS304AF02V2AV3	KS304AF15V2AV3
S304_F__V2AV9	HS4GN__A24	CS4AN__A24		K304VV9	KS304AF02V2AV9	KS304AF15V2AV9

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S304_F__V2AW1	HS4GN__A24	CS4AN__A24		K304VW1	KS304AF02V2AW1	KS304AF15V2AW1
S304_F__V3BC5	HS4GN__A24	CS4AN__A24		K304VC3	KS304AF02V2AC3	KS304AF15V2AC3
S304_F__V3BC9	HS4GN__A24	CS4AN__A24		K304VC3	KS304AF02V2AC3	KS304AF15V2AC3
S304_F__V3BV1	HS4GN__A24	CS4AN__A24		K304VV1	KS304AF02V2AV1	KS304AF15V2AV1
S304_F__V3BV3	HS4GN__A24	CS4AN__A24		K304VV3	KS304AF02V2AV3	KS304AF15V2AV3
S304_F__V3BV9	HS4GN__A24	CS4AN__A24		K304VV9	KS304AF02V2AV9	KS304AF15V2AV9
S304_F__V3BW1	HS4GN__A24	CS4AN__A24		K304VW1	KS304AF02V2AW1	KS304AF15V2AW1
S306_F__V2AC5	HS4GN__A24	CS4AN__A24		K306VC3	KS306AF02V2AC3	KS306AF15V2AC3
S306_F__V2AC9	HS4GN__A24	CS4AN__A24		K306VC3	KS306AF02V2AC3	KS306AF15V2AC3
S306_F__V2AV1	HS4GN__A24	CS4AN__A24		K306VV1	KS306AF02V2AV1	KS306AF15V2AV1
S306_F__V2AV3	HS4GN__A24	CS4AN__A24		K306VV3	KS306AF02V2AV3	KS306AF15V2AV3
S306_F__V2AV9	HS4GN__A24	CS4AN__A24		K306VV9	KS306AF02V2AV9	KS306AF15V2AV9
S306_F__V2AW1	HS4GN__A24	CS4AN__A24		K306VW1	KS306AF02V2AW1	KS306AF15V2AW1
S306_F__V3BC5	HS4GN__A24	CS4AN__A24		K306VC3	KS306AF02V2AC3	KS306AF15V2AC3
S306_F__V3BC9	HS4GN__A24	CS4AN__A24		K306VC3	KS306AF02V2AC3	KS306AF15V2AC3
S306_F__V3BV1	HS4GN__A24	CS4AN__A24		K306VV1	KS306AF02V2AV1	KS306AF15V2AV1
S306_F__V3BV3	HS4GN__A24	CS4AN__A24		K306VV3	KS306AF02V2AV3	KS306AF15V2AV3
S306_F__V3BV9	HS4GN__A24	CS4AN__A24		K306VV9	KS306AF02V2AV9	KS306AF15V2AV9
S306_F__V3BW1	HS4GN__A24	CS4AN__A24		K306VW1	KS306AF02V2AW1	KS306AF15V2AW1
S311_F__C2AC3	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C2AC5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C2AC9	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C2AD5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C2AD7	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C2AE1	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C3BC3	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C3BC5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C3BC9	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C3BD5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C3BD7	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C3BE1	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8AC3	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8AC5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8AC9	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8AD5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8AD7	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8AE1	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8BC3	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8BC5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8BC9	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8BD5	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S311_F__C8BD7	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C8BE1	HS3GN__A24	CS3AN__A24		K311CC3	KS311AF02C2AC3	KS311AF15C2AC3
S311_F__C9_F5	HS3GN__A24	CS3AN__A24		K311CF5	KS311AF02C2AF5	KS311AF15C2AF5
S311_F__C9BF5	HS3GN__A24	CS3AN__A24		K311CF5	KS311AF02C2AF5	KS311AF15C2AF5
S311_F__C9CF5	HS3GN__A24	CS3AN__A24		K311CF5	KS311AF02C2AF5	KS311AF15C2AF5
S311_F__N2AC3	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N2AC5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N2AC9	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N2AD5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N2AD7	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N2AE1	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N3BC3	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N3BC5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N3BC9	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N3BD5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N3BD7	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N3BE1	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8AC3	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8AC5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8AC9	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8AD5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8AD7	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8AE1	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8BC3	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8BC5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8BC9	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8BD5	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8BD7	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N8BE1	HS3GN__A24	CS3AN__A24		K311NC3	KS311AF02N2AC3	KS311AF15N2AC3
S311_F__N9_F5	HS3GN__A24	CS3AN__A24		K311NF5	KS311AF02N2AF5	KS311AF15N2AF5
S311_F__N9BF5	HS3GN__A24	CS3AN__A24		K311NF5	KS311AF02N2AF5	KS311AF15N2AF5
S311_F__N9CF5	HS3GN__A24	CS3AN__A24		K311NF5	KS311AF02N2AF5	KS311AF15N2AF5
S311_F__V2AC3	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V2AC5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V2AC9	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V2AD5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V2AD7	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V2AE1	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V3BC3	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V3BC5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V3BC9	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V3BD5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V3BD7	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE	G	A, B, P, S, U W, X		REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS	NOTES	Part #	Part #	Part #
	COIL #	COIL #		3	4	4
S311_F__V3BE1	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8AC3	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8AC5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8AC9	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8AD5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8AD7	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8AE1	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8BC3	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8BC5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8BC9	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8BD5	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8BD7	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V8BE1	HS3GN__A24	CS3AN__A24		K311VC3	KS311AF02V2AC3	KS311AF15V2AC3
S311_F__V9_F5	HS3GN__A24	CS3AN__A24		K311VF5	KS311AF02V2AF5	KS311AF15V2AF5
S311_F__V9BF5	HS3GN__A24	CS3AN__A24		K311VF5	KS311AF02V2AF5	KS311AF15V2AF5
S311_F__V9CF5	HS3GN__A24	CS3AN__A24		K311VF5	KS311AF02V2AF5	KS311AF15V2AF5
S312_F__C2AC3	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C2AC5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C2AC9	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C2AD5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C2AD7	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C2AE1	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C3BC3	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C3BC5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C3BC9	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C3BD5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C3BD7	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C3BE1	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8AC3	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8AC5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8AC9	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8AD5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8AD7	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8AE1	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8BC3	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8BC5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8BC9	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8BD5	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8BD7	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__C8BE1	HS3GN__A24	CS3AN__A24		K312CC3	KS312AF02C2AC3	KS312AF15C2AC3
S312_F__N2AC3	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N2AC5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S312_F__N2AC9	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N2AD5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N2AD7	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N2AE1	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N3BC3	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N3BC5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N3BC9	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N3BD5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N3BD7	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N3BE1	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8AC3	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8AC5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8AC9	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8AD5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8AD7	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8AE1	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8BC3	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8BC5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8BC9	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8BD5	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8BD7	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__N8BE1	HS3GN__A24	CS3AN__A24		K312NC3	KS312AF02N2AC3	KS312AF15N2AC3
S312_F__V2AC3	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V2AC5	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V2AC9	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V2AD5	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V2AD7	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V2AE1	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V3BC3	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V3BC5	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V3BC9	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V3BD5	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V3BD7	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V3BE1	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8AC3	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8AC5	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8AC9	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8AD5	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8AD7	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8AE1	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8BC3	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8BC5	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8BC9	HS3GN__A24	CS3AN__A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S312_F__V8BD5	HS3GN __ A24	CS3AN __ A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8BD7	HS3GN __ A24	CS3AN __ A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S312_F__V8BE1	HS3GN __ A24	CS3AN __ A24		K312VC3	KS312AF02V2AC3	KS312AF15V2AC3
S313_F__V2AC5	HS3GN __ A24	CS3AN __ A24		K313VC3	KS313AF02V2AC3	KS313AF15V2AC3
S313_F__V2AC9	HS3GN __ A24	CS3AN __ A24		K313VC3	KS313AF02V2AC3	KS313AF15V2AC3
S313_F__V2AV1	HS3GN __ A24	CS3AN __ A24		K313VV1	KS313AF02V2AV1	KS313AF15V2AV1
S313_F__V2AV3	HS3GN __ A24	CS3AN __ A24		K313VV3	KS313AF02V2AV3	KS313AF15V2AV3
S313_F__V3BC5	HS3GN __ A24	CS3AN __ A24		K313VC3	KS313AF02V2AC3	KS313AF15V2AC3
S313_F__V3BC9	HS3GN __ A24	CS3AN __ A24		K313VC3	KS313AF02V2AC3	KS313AF15V2AC3
S313_F__V3BV1	HS3GN __ A24	CS3AN __ A24		K313VV1	KS313AF02V2AV1	KS313AF15V2AV1
S313_F__V3BV3	HS3GN __ A24	CS3AN __ A24		K313VV3	KS313AF02V2AV3	KS313AF15V2AV3
S314_F__V2AC5	HS3GN __ A24	CS3AN __ A24		K314VC3	KS314AF02V2AC3	KS314AF15V2AC3
S314_F__V2AC9	HS3GN __ A24	CS3AN __ A24		K314VC3	KS314AF02V2AC3	KS314AF15V2AC3
S314_F__V2AV1	HS3GN __ A24	CS3AN __ A24		K314VV1	KS314AF02V2AV1	KS314AF15V2AV1
S314_F__V2AV3	HS3GN __ A24	CS3AN __ A24		K314VV3	KS314AF02V2AV3	KS314AF15V2AV3
S314_F__V3BC5	HS3GN __ A24	CS3AN __ A24		K314VC3	KS314AF02V2AC3	KS314AF15V2AC3
S314_F__V3BC9	HS3GN __ A24	CS3AN __ A24		K314VC3	KS314AF02V2AC3	KS314AF15V2AC3
S314_F__V3BV1	HS3GN __ A24	CS3AN __ A24		K314VV1	KS314AF02V2AV1	KS314AF15V2AV1
S314_F__V3BV3	HS3GN __ A24	CS3AN __ A24		K314VV3	KS314AF02V2AV3	KS314AF15V2AV3
S316_F__V2AC5	HS3GN __ A24	CS3AN __ A24		K316VC3	KS316AF02V2AC3	KS316AF15V2AC3
S316_F__V2AC9	HS3GN __ A24	CS3AN __ A24		K316VC3	KS316AF02V2AC3	KS316AF15V2AC3
S316_F__V2AV1	HS3GN __ A24	CS3AN __ A24		K316VV1	KS316AF02V2AV1	KS316AF15V2AV1
S316_F__V2AV3	HS3GN __ A24	CS3AN __ A24		K316VV3	KS316AF02V2AV3	KS316AF15V2AV3
S316_F__V3BC5	HS3GN __ A24	CS3AN __ A24		K316VC3	KS316AF02V2AC3	KS316AF15V2AC3
S316_F__V3BC9	HS3GN __ A24	CS3AN __ A24		K316VC3	KS316AF02V2AC3	KS316AF15V2AC3
S316_F__V3BV1	HS3GN __ A24	CS3AN __ A24		K316VV1	KS316AF02V2AV1	KS316AF15V2AV1
S316_F__V3BV3	HS3GN __ A24	CS3AN __ A24		K316VV3	KS316AF02V2AV3	KS316AF15V2AV3
S333_F__J7AC5	HS3GN __ A24	CS3AN __ A24		K333NC5	KS333AF02J7AC5	KS333AF15J7AC3
S333_F__J7AC9	HS3GN __ A24	CS3AN __ A24		K333NC5	KS333AF02J7AC5	KS333AF15J7AC3
S333_F__J7AD5	HS3GN __ A24	CS3AN __ A24		K333NC5	KS333AF02J7AC5	KS333AF15J7AC3
S333_F__J7BC5	HS3GN __ A24	CS3AN __ A24		K333NC5	KS333AF02J7AC5	KS333AF15J7AC3
S333_F__J7BC9	HS3GN __ A24	CS3AN __ A24		K333NC5	KS333AF02J7AC5	KS333AF15J7AC3
S333_F__J7BD5	HS3GN __ A24	CS3AN __ A24		K333NC5	KS333AF02J7AC5	KS333AF15J7AC3
S333_F__J8AC5	HS4GN __ A24	CS4AN __ A24		K333NC5	KS333AF02J8AC5	KS333AF15J8AC3
S333_F__J8AC9	HS4GN __ A24	CS4AN __ A24		K333NC5	KS333AF02J8AC5	KS333AF15J8AC3
S333_F__J8AD5	HS4GN __ A24	CS4AN __ A24		K333NC5	KS333AF02J8AC5	KS333AF15J8AC3
S333_F__J8BC5	HS4GN __ A24	CS4AN __ A24		K333NC5	KS333AF02J8AC5	KS333AF15J8AC3
S333_F__J8BC9	HS4GN __ A24	CS4AN __ A24		K333NC5	KS333AF02J8AC5	KS333AF15J8AC3
S333_F__J8BD5	HS4GN __ A24	CS4AN __ A24		K333NC5	KS333AF02J8AC5	KS333AF15J8AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE	G	A, B, P, S, U W, X		REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS	NOTES	Part #	Part #	Part #
	COIL #	COIL #		3	4	4
S333_F__N3AC5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N3AC9	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N3AD5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N3BC5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N3BC9	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N3BD5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N3BD8	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AD8
S333_F__N4AC5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N4AC9	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N4AD5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N4BC5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N4BC9	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N4BD5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AC3
S333_F__N4BD8	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N4AC5	KS333AF15N4AD8
S333_F__N7AC5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N7AC5	KS333AF15N7AC3
S333_F__N7AC9	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N7AC5	KS333AF15N7AC3
S333_F__N7AD5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N7AC5	KS333AF15N7AC3
S333_F__N7BC5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N7AC5	KS333AF15N7AC3
S333_F__N7BC9	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N7AC5	KS333AF15N7AC3
S333_F__N7BD5	HS3GN__A24	CS3AN__A24		K333NC5	KS333AF02N7AC5	KS333AF15N7AC3
S333_F__N8AC5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N8AC5	KS333AF15N8AC3
S333_F__N8AC9	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N8AC5	KS333AF15N8AC3
S333_F__N8AD5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N8AC5	KS333AF15N8AC3
S333_F__N8BC5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N8AC5	KS333AF15N8AC3
S333_F__N8BC9	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N8AC5	KS333AF15N8AC3
S333_F__N8BD5	HS4GN__A24	CS4AN__A24		K333NC5	KS333AF02N8AC5	KS333AF15N8AC3
S334_F__J7AC5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__J7AC9	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__J7AD5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__J7BC5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__J7BC9	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__J7BD5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__J8AC5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02J8AC5	KS334AF15J8AC3
S334_F__J8AC9	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02J8AC5	KS334AF15J8AC3
S334_F__J8AD5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02J8AC5	KS334AF15J8AC3
S334_F__J8BC5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02J8AC5	KS334AF15J8AC3
S334_F__J8BC9	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02J8AC5	KS334AF15J8AC3
S334_F__J8BD5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02J8AC5	KS334AF15J8AC3
S334_F__N3AC5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N3AC9	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N3AD5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N3BC5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE	G	A, B, P, S, U W, X		REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS	NOTES	Part #	Part #	Part #
	COIL #	COIL #		3	4	4
S334_F__N3BC9	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N3BD5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N3BD8	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AD8
S334_F__N4AC5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N4AC9	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N4AD5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N4BC5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N4BC9	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N4BD5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AC3
S334_F__N4BD8	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N4AC5	KS334AF15N4AD8
S334_F__N7AC5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__N7AC9	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__N7AD5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__N7BC5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__N7BC9	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__N7BD5	HS3GN__A24	CS3AN__A24		K334NC5	KS334AF02N7AC5	KS334AF15N7AC3
S334_F__N8AC5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N8AC5	KS334AF15N8AC3
S334_F__N8AC9	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N8AC5	KS334AF15N8AC3
S334_F__N8AD5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N8AC5	KS334AF15N8AC3
S334_F__N8BC5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N8AC5	KS334AF15N8AC3
S334_F__N8BC9	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N8AC5	KS334AF15N8AC3
S334_F__N8BD5	HS4GN__A24	CS4AN__A24		K334NC5	KS334AF02N8AC5	KS334AF15N8AC3
S336_F__J7AC5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__J7AC9	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__J7AD5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__J7BC5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__J7BC9	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__J7BD5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__J8AC5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02J8AC5	KS336AF15J8AC3
S336_F__J8AC9	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02J8AC5	KS336AF15J8AC3
S336_F__J8AD5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02J8AC5	KS336AF15J8AC3
S336_F__J8BC5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02J8AC5	KS336AF15J8AC3
S336_F__J8BC9	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02J8AC5	KS336AF15J8AC3
S336_F__J8BD5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02J8AC5	KS336AF15J8AC3
S336_F__N3AC5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N3AC9	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N3AD5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N3BC5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N3BC9	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N3BD5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N3BD8	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AD8
S336_F__N4AC5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE	G	A, B, P, S, U W, X		REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS	NOTES	Part #	Part #	Part #
	COIL #	COIL #		3	4	4
S336_F__N4AC9	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N4AD5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N4BC5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N4BC9	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N4BD5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AC3
S336_F__N4BD8	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N4AC5	KS336AF15N4AD8
S336_F__N7AC5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__N7AC9	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__N7AD5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__N7BC5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__N7BC9	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__N7BD5	HS3GN__A24	CS3AN__A24		K336NC5	KS336AF02N7AC5	KS336AF15N7AC3
S336_F__N8AC5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N8AC5	KS336AF15N8AC3
S336_F__N8AC9	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N8AC5	KS336AF15N8AC3
S336_F__N8AD5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N8AC5	KS336AF15N8AC3
S336_F__N8BC5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N8AC5	KS336AF15N8AC3
S336_F__N8BC9	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N8AC5	KS336AF15N8AC3
S336_F__N8BD5	HS4GN__A24	CS4AN__A24		K336NC5	KS336AF02N8AC5	KS336AF15N8AC3
S401_F__N1BF5	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N1CF5	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N1DF5	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N9BF5	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N9BF5S	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N9CF5	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N9CF5S	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N9DF5	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__N9DF5S	HS4GN__A24	CS4AN__A24		K401N9B	KS401AF02N9BF5	KS401AF15N9BF5
S401_F__V1BF5	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V1CF5	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V1DF5	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V5DG5	HS4GN__A24	CS4AN__A24		K401VG5	KS401AF02V5DG5	KS401AF15V5DG5
S401_F__V5EG5	HS4GN__A24	CS4AN__A24		K401VG5	KS401AF02V5EG5	KS401AF15V5EG5
S401_F__V5FG7	HS4GN__A24	CS4AN__A24		K401VG7	KS401AF02V5FG7	KS401AF15V5FG7
S401_F__V5GJ1	HS4GN__A24	CS4AN__A24		K401V5G	KS401AF02V5GJ1	KS401AF15V5GJ1
S401_F__V9BF5	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V9BF5S	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V9CF5	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V9CF5S	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V9DF5	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_F__V9DF5S	HS4GN__A24	CS4AN__A24		K401V9B	KS401AF02V9BF5	KS401AF15V9BF5
S401_H__S0BF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S0BF5S	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5

Coil Notes:

- For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

**Coils, Repair and Rebuild Kits
for Standard Valves**

VALVE PART NUMBER	G HOUSINGS COIL #	A, B, P, S, U W, X HOUSINGS COIL #	NOTES	REPAIR KIT Part # 3	AC REBUILD KIT Part # 4	DC REBUILD KIT Part # 4
S401_H__S0CF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S0CF5S	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S0DF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S0DF5S	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S1BF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S1CF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S1DF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S9BF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S9CF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S401_H__S9DF5	HS4GN__A24	CS4AN__A24		K401S9B	KS401AF02S9BF5	KS401AF15S9BF5
S402_F__N1BF5	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N1CF5	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N1DF5	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N9BF5	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N9BF5S	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N9CF5	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N9CF5S	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N9DF5	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__N9DF5S	HS4GN__A24	CS4AN__A24		K402N9B	KS402AF02N9BF5	KS402AF15N9BF5
S402_F__V1BF5	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V1CF5	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V1DF5	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V9BF5	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V9BF5S	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V9CF5	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V9CF5S	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V9DF5	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_F__V9DF5S	HS4GN__A24	CS4AN__A24		K402V9B	KS402AF02V9BF5	KS402AF15V9BF5
S402_H__S0BF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S0BF5S	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S0CF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S0CF5S	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S0DF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S0DF5S	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S1BF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S1CF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S1DF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S9BF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S9CF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5
S402_H__S9DF5	HS4GN__A24	CS4AN__A24		K402S9B	KS402AF02S9BF5	KS402AF15S9BF5

Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

Coils, Repair and Rebuild Kits for Standard Valves

VALVE	G	A, B, P, S, U W, X	NOTES	REPAIR KIT	AC REBUILD KIT	DC REBUILD KIT
PART NUMBER	HOUSINGS	HOUSINGS		Part #	Part #	Part #
	COIL #	COIL #		3	4	4
<p>Instructions:</p> <p>Select a valve part number in the left hand column. Reading from left to right you will find the coils, then Repair Kits, then the Rebuild Kits.</p> <p>Rebuild Kits contain all the parts required to completely rebuild most valves.</p> <p>Repair Kits contain only the elastomers such as o-rings, seat discs and diaphragm assemblies.</p> <ol style="list-style-type: none"> 1. To select a coil choose either the HS or the CS coil inserting the correct voltage code <ol style="list-style-type: none"> a. HS coils are available in either "G" Conduit Hub or "Y" DIN configuration. b. Note, some valves, marked coil note 1, require S3 coils in AC and S4 coils in DC. 2. To select a Rebuild Kit, choose either the AC or the DC kit number, depending on valve voltage. <p>Explosion Proof Rebuild Kits:</p> <p>For AC voltages change "AF02" in the repair kit part number to "XF02".</p> <p>For DC voltages change "AF15" in the repair kit part number to "XF15".</p>						


Coil Notes:

1. For DC valves only, substitute the HS4 or CS4 coil for the HS3 or CS3.

Rebuild Kits and Repair Kits for GC Valves Solenoid Valves




Typical Direct Acting Valve Rebuild Kit



Typical Direct Acting Valve Repair Kit



Typical Diaphragm Valve Rebuild Kit



Typical Diaphragm Valve Repair Kit



GC Valves, LLC., A DEMA Company
456 Crompton Street | Charlotte, NC 28273
800.828.0484 | 704.588.3300 | fax 704.973.9526
service@gcvalves.com